

PROCESS READY INKS WITH UNDER BASE

**PROCESS INK WITH UNDER BASE**

.....

**INKS** : CREATIVE PROCESS CYAN (N)  
CREATIVE PROCESS MAGENTA (N)  
CREATIVE PROCESS YELLOW (N)  
CREATIVE PROCESS BLACK (N)  
CREATIVE SOFT TOUCH JM 161 W  
CREATIVE D C AGENT (ACTIVATOR)

**FABRIC TYPE** : COTTON – SINGLE JERSEY

**MESH COUNT** : 180 POLYESTER MONO

**MESH TENSION** : 25 N/cm

**STENCIL** : WATER RESISTANT EMULSION

**PRINTING MACHINE** : **M & R** PRINTING MACHINE

**NO OF COLOURS** : 5

**PRINTING SEQUENCE** : U/B → FLASH → YELLOW → MAGENTA  
→ CYAN → BLACK

**NO OF ROUNDS** : SINGLE

**SQUEEGEE DUROMETER** : 65/90/65

**SQUEEGEE ANGLE** : 15° - 20°

**NUMBER OF STROKES** : 2

**(ADD 2 % CREATIVE FIXER FOR BETTER FASTNESS)**

**CURE TEMPERATURE / TIME** : 160° C for 150 seconds